

Zgonic Specification Guide

ergoCentric® + zgonic

The science of sitting®



Table of Contents

1. MONITOR ARMS

ZG1	3
ZG2	4
ZGS	5
ZGX	6
ZPX	7-10

2. CLAMPS

Top down clamp	11
Bolt-through clamp	12
2 piece clamp	13
ZPX 2 piece clamp	14
ZPX sliding clamp	15
ZPX bolt-through	16

3. TECHNOLOGY PRODUCTS

Zdock	17
-------	----

4. LAPTOP SOLUTIONS

Ztray	18
-------	----

5. ACCESSORIES

Zslider	19
---------	----

ergoCentric® ZG1

FINISHES


● Silver ○ White ● Black

MONITOR CAPACITY

6.6 - 24.2 lbs

3.0 - 11.0 kg



ROTATION / TILT



SHIPPING

L	W	H	WT
20.0 in	7.5 in	4.5 in	9.6 lbs
50.8 cm	19.1 cm	11.4 cm	4.3 kg

DIMENSIONS



Cable Manager Capacity:

2 cables with 9.0 mm dia.

&

2 cables with 6.0 mm dia.

ergoCentric® ZG2




FINISHES

Silver
 White
 Black

MONITOR CAPACITY

6.6 - 24.2 lbs
 3.0 - 11.0 kg


ROTATION / TILT



SHIPPING

L	W	H	WT
22.0 in	10.0 in	8.0 in	19.1 lbs
55.9 cm	25.5 cm	20.3 cm	8.7 kg

DIMENSIONS



ergoCentric® ZGS



FINISHES

● Silver ○ White ● Black

SHIPPING

L	W	H	WT
22.0 in	10.0 in	8.0 in	16 lbs
55.9 cm	25.5 cm	20.3 cm	7.26 kg

MONITOR CAPACITY


2x; 6.6 - 20.2 lbs

2x; 3.0 - 9.2 kg



MONITOR SIZE

2x; 34in wide max

DIMENSIONS



ROTATION / TILT / SWIVEL



ergoCentric® ZGX

FINISHES

● Silver ○ White ● Black

CROSSBAR FINISHES

● Silver ● Black

MONITOR CAPACITY


6.6 - 20.2 lbs

3.0 - 9.2 kg

MONITOR SIZE

2 x 27in max


ROTATION / TILT / SWIVEL




SHIPPING

L	W	H	WT
36.0 in	12.0 in	10.0 in	16.8 lbs
91.4 cm	30.5 cm	25.5 cm	7.6 kg

DIMENSIONS



CROSSBAR MEASUREMENT



ergoCentric® ZPX

FINISHES

● Silver ● Black


MONITOR CAPACITY

Max of 88 lbs


Max of 90 kg

CABLE MANAGEMENT CAPACITY


12 Cables with 0.33in / 8.50mm dia.




12 IN POST



SHOULDER SPACING



24 IN POST



ergoCentric[®]

ZPX

TILT ONLY

FINISHES


● Silver ● Black

MONITOR CAPACITY


Max of 88 lbs

Max of 90 kg

12 IN POST



24 IN POST



ergoCentric®

ZPX

STRAIGHT / STRAIGHT / SINGLE TILT

FINISHES


● Silver ● Black

MONITOR CAPACITY

Max of 24.2 lbs

Max of 11 kg

DIMENSIONS



ergoCentric®

ZPX

STRAIGHT / DYNAMIC

FINISHES


● Silver ● Black

MONITOR CAPACITY

Max of 24.2 lbs

Max of 11 kg

DIMENSIONS



TOP-DOWN CLAMP



FINISHES

● Silver ○ White ● Black



SHIPPING

WT	1.6 lbs	0.7 kg
----	---------	--------


ARM COMPATIBILITY

ZG1
ZG2
ZGX


SIDE DIMENSIONS



BACK DIMENSIONS



CLAMP RANGE





BOLT-THROUGH CLAMP


FINISHES

● Silver ○ White ● Black

SHIPPING

WT	2.65 lbs	1.2 kg
----	----------	--------

TABLE THICKNESS SPECIFICATIONS




Bolt Length (in)	Recommended Table Thickness (in)	Bolt Length (mm)	Recommended Table Thickness (mm)
2.36	0.393 - 1.378	60	10 - 35
2.95	0.984 - 1.969	75	25 - 50
3.5	1.575 - 2.559	90	40 - 65

ARM COMPATIBILITY


ZG1
ZG2
ZGX

GROMMET HOLE SPECIFICATIONS

Hole Size (in)	Aprox # of cables to fit
0.	0
1.0	0
1.5	5
2.0	15
2.5	28



MOUNTING LOCATIONS



2 PIECE CLAMP

FINISHES

● Silver ○ White ● Black



ARM COMPATIBILITY

ZG1
ZG2
ZGX


SHIPPING

WT	2.35 lbs	1.0 kg
----	----------	--------

CLAMP DIMENSIONS



BACK DIMENSIONS



ergoCentric®

ZPX

2 piece clamp

FINISHES

● Silver ● Black


ARM COMPATIBILITY

ZPX



SHIPPING

WT	1.6 lbs	0.7 kg
----	---------	--------

CLAMP DIMENSIONS




BACK DIMENSIONS



ergoCentric®

ZPX

Sliding desk clamp



FINISHES

● Silver ● Black


ARM COMPATIBILITY

ZPX


SHIPPING

WT	1.6 lbs	0.7 kg
----	---------	--------

BACK DIMENSIONS



SIDE DIMENSIONS



ergoCentric®

ZPX

Bolt-through clamp



FINISHES


● Silver ● Black

ARM COMPATIBILITY

ZPX

SHIPPING



WT	2.65 lbs	1.2 kg
----	----------	--------



Ø 3.96in
[101mm]
DIAMETER OF
BASE PLATE

TABLE THICKNESS

Bolt Length (in)	Recommended Table Thickness (in)	Bolt Length (mm)	Recommended Table Thickness (mm)
1.96	1.96-1.26	50	50-32
1.57	1.57-0.87	40	40-22
1.18	1.18-0.43	30	30-11



ergoCentric® Zdock




FINISHES

- Silver
- White
- Black

ARM COMPATIBILITY

ZG1
ZG2
ZPX


DOCK WIDTH



SHIPPING

WT	2.35 lbs	1.0 kg
----	----------	--------

DOCK DIMENSIONS






ergoCentric® Ztray



FINISHES



Silver



ergoCentric® Zslider


FINISHES

● Black


MONITOR CAPACITY

Max of 24.2 lbs

Max of 11 kg



DIMENSIONS



ergoCentric® + zgonic

fx: 1 866 GET ERGO | 905 696-6800

ph: 1 800 848-5190 | 905 696-0899

info@ergocentric.com

ergocentric.com

